CARIN CONTROL SYSTEMS IN HYDROTHERAPY

ELECTROMEDICARIN, with professionals specialised in hydrotherapy projects, has developed its own technology which is unique in the market and has incredible benefits.

Carin Control Systems allow making a hydrotherapy center work automatically and optionally be controlled by a PC. 3 different controllers have been developed to cover all client needs.
These are multi-function appliances, controlled by a microprocessor which commands the different pool functions.

a) **HYDROCONTROLLER SPA** – Spa maintenance and user control of basic features
b) **HYDROCONTROLLER POOL** –Sanitary Controller (water quality and parameters)
c) **HYDROCONTROLLER EFFECTS** – Monitors hydro massages

a) **11H000000074 - HYDROCONTROLLER SPA**
Spa maintenance and user control of basic features

Hydrocontroller SPA controls the filtration, temperature and basic features of a spa or swimming pool.

It has a programming console for the adjustment of equipment operating parameters in situ and to configure the various operating modes from the controlling variables.

DESCRIPTION

- Spa control with or without overflow, for Water Recirculation and Temperature
- The control of the regulating fluids and the recirculation pump may be activated manually, through a switch, or automatically by responding to scheduled programming (daily or weekly)
- Use of 1 or 2 filter pumps, operating simultaneously or alternately
- Monitoring of the push buttons for the features
- Features
  - 1 Air Pump
  - 2 Massage Pumps
  - Up to 5 Extra Features
- Operation of features by time or continually
- Configuration of push buttons as ON/OFF or ON
- Purified and Changed Water Monitoring Meters
- Operation from 230 V AC ±10% single phase supply

CARIN CONTROL SYSTEMS IN HYDROTHERAPY

b) 11H000000039 - HYDROCONTROLLER POOL
Sanitary Controller (water quality and parameters)

Autonomous equipment for controlling the elements involved in pH disinfectant and flocculant regulation, that is to say water quality for spas and pools. It has a programming console for the adjustment of equipment operating parameters in situ and to configure the various operating modes from the controlling variables.

FUNCTIONAL SPECIFICATIONS

- Temperature compensation of pH measurement
- Regulation of pH, redox and disinfectant concentration
- Open and closed loop regulation modes for each parameter
- Manual, continuous, once and weekly operating modes
- Programming though the console of all the parameters for the controlled variables: pH – redox – disinfectant concentration – flocculant dosing – recirculating pump
- History of pH, redox and disinfectant concentration measurements
- Alarm history: the alarm entries are saved
- Calibration of the pH and redox probes using buffer solutions.
- Probe change warning
- Connection of the equipment in a communications network and remote alarm handling
- Languages: Spanish, English and French

OPTIONAL

- Measurement probe for free bromine
- Remote monitoring and control from a PC (PC not included)

c) 11H000000041 - HYDROCONTROLLER EFFECTS
Hydromassage monitoring

This system is the most advanced on the market: the most functional and versatile for user convenience. Hydrocontroller Effects is an apparatus used to activate pumps and blowers from buttons. This permits hydrotherapy center users to activate the features where they are.

DESCRIPTION

- Easily reprogrammed for any change in time or system of effects
- Made up of various elements
  - **Hydrocontroller:** monitors the push buttons and activates the pumps associated with each button
  - **Power module:** Consists of the electrical panel which supplies power to the pump - In the front panel there are the keyboard and display from which the system programming and test mode activation of the pumps is controlled
- The push buttons are used to start the pumps
- The contacts are activated from the Hydrocontroller Effects outputs
- A thermal protection is placed before the pumps to protect them against overloads
- A differential circuit breaker is included along with a thermal-magnetic breaker to protect the users

BATH FOR UPPER EXTREMITIES

DESCRIPTION

The bath is built in stainless steel, with two independent tanks to treat upper extremities. It incorporates a support for towels and mono-control fittings (GROHE) for each tank.

The trays are fitted on a unique support design which gives it stability.

DIMENSIONS

- **External size:** 76 (L) x 64 (W) x 98 (H) cm
- **Internal size of the tank:** 32,5 (L) x 53 (W) x 20 (H) cm

11H000000034 BATH FOR UPPER EXTREMITIES

BATH FOR LOWER EXTREMITIES

DESCRIPTION

The bath is built in stainless steel, with two independent tanks to treat upper extremities. It incorporates a support for towels and mono-control fittings (GROHE) for each tank.

DIMENSIONS

- **External size:** 96 (L) x 55 (W) x 51 (H) cm
- **Internal size of the tank:** 40 (L) x 40 (W) x 30 (H) cm

11H000000035 BATH FOR LOWER EXTREMITIES

PARAFFIN BATH

DESCRIPTION

Mobile Wax Bath with stainless steel inner tank for wax water as a heating medium infinitely adjustable from 30-58ºC and with a wood frame. It has two sections where paraffin is heated in a double boiler (or in a bain-marie) so that the paraffin does not burn. It has an easy paraffin drainage system in the interior of the tank.
The water level can be easily observed by filling hole. The wax bath meets all electrical safety standards and is supplied complete with lid.

TECHNICAL CHARACTERISTICS

- **Size:** 566 x 264 x 304 mm
- **Capacity:** 22 l.
- **Power:** 240 V / 50 Hz
- **Voltage:** 220 V / 50 Hz
- **Optionally:** Trolley

11H000000036 PARAFFIN BATH STAINLESS STEEL

TROLLEY FOR PARAFFIN BATH

DESCRIPCIÓN

It has a support for the equipment and a tray for accessories. Totally built in stainless steel, with wheels for its better mobility.

DIMENSIONS

- **Trolley's Size:** 55 cm (length) x 35 cm (width) x 60 cm (height)
- **Includes:** 16 kg parafin

31H000000048 TROLLEY FOR PARAFFIN BATH

WHIRLPOOL BATH

11H000000037 WHIRLPOOL BATH

DESCRIPTION

- Equipment ergonomically designed and built
- It incorporates four casters for its better mobility
- Adjustable height - by means of a crank - for its use in upper and lower extremities
- Whirlpool made of stainless steel AISI 316
- Turbine motor to do the whirlpool in the caster

DIMENSIONS

- Tank size:	1070 (height) x 840 (length) x 400 (width) mm
- Caster size:	600 x 300 x 390 mm
- Capacity:	54 l.

COOLER FOR HYDROCOVERS

11H000000038 COOLER FOR 20 HYDROCOVERS

DESCRIPTION

Cooler for hydrocovers with casters for its easier movement and with a capacity for more than 20 standards packs. Due to its interior design, the pack never bends nor acquires bad position not recommendable for its use, enlarging the live of the pack.
Automatic temperature control.

MEASURES

81 x 60 x 90 cm

STANDARD ACCESSORIES

11H000000042 10 Hydrocovers of 16 x 25 cm

ICE FOUNTAIN

Appropriate treatment for carrying out contrasts after being in the sauna, steam bath, hot bath, etc

The ice fountain allows a selective local application with greater effectiveness in contrast treatment

DESCRIPTION

- Two models: round and square
- Ice producing machines, cooled by water and easy to disassemble. The machine comes with a water filter, spatula and ice distributor in the silo. The system for ice production is also designed for hard water zones and difficult working conditions. The water content of the ice flakes can be regulated, that is to say, the ice is more or less dry or damp
- Automatic control of the quantity of ice according to the needs of the system
- Waiting time for ice output: 3 minutes
- Personalized installation according to the needs of the premises
- There are two types of refrigeration: by water and by air
- Maximum ice production: 140 kg / day or 220 kg / day
- OPTION: ICE FOUNTAIN LIGHTING + LEVEL SENSOR SET

TECHNICAL FEATURES

	Ice fountain maximum production of 140 kg / day	Ice fountain maximum production of 220 kg / day
Storage	Modular	Modular
Compressor	3/8cv	1/2cv
Watts	650W	780W
Net Weight	49kg.	52kg.
Dimensions	550 (width) x 515 (depth) x 490 (height) mm.	550(width) x 515(depth) x 575(height) mm.

21H00FUE0001	ICE FOUNTAIN round water refrigerated 140 kg / day
21H00FUE0005	ICE FOUNTAIN squared water refrigerated 140 kg / day
21H00FUE0003	ICE FOUNTAIN round air refrigerated 140 kg /day
21H00FUE0007	ICE FOUNTAIN squared air refrigerated 140 kg / day
21H00FUE0002	ICE FOUNTAIN round water refrigerated 220 kg / day
21H00FUE0006	ICE FOUNTAIN squared water refrigerated 220 kg / day
21H00FUE0004	ICE FOUNTAIN round air refrigerated 220 kg / day
21H00FUE0008	ICE FOUNTAIN squared air refrigerated 220 kg / day

AQUATIC CORRIDOR

DESCRIPTION

- Massage and hydroteraphy treatment in legs and feet with cold and warm water clashes upon a corridor with irregular surface
- Personalised installation according to the premises dimensions
- Single reading for each patient
- 4 m length
- Personalized patient treatment
- 24 raining sprinklers

OPTIONAL FITTING

11H000000048	Cromotherapy Set 1 Colour (yellow)
11H000000085	AQUATIC CORRIDOR

Terma

Elimination of toxins and body relaxation

Device controlled by microprocessor able to regulate temperature and humidity in the room according to the pre-established parameters, totally made of stainless steel

DESCRIPTION

- Power of the device (three-phase + neutral + earth): 9 KW, 10.5 KW, 12 KW, 15 KW, 18 KW
- Temperature: from 40 °C to 55 °C ± 1 ° C
- Humidity: from 65 % to 75 % H.R. ± 3 % H.R.
- Size of the external piece of furniture: width 60 x height 200 x depth 46 cm
- 30 available programming memories
- Automatic connection and disconnection

INCLUDED ACCESSORIES

To choose among the following door and doorframe according to the features of the project:

31H000000042	Door + Doorframe 70c m Right
31H000000044	Door + Doorframe 70 cm Left
31H000000032	Door + Doorframe 80 cm Right
31H000000043	Door + Doorframe 80 cm Left
11H000000068	Kit Illumination Steambath
21S00WEL0083	1 sauna essence Silvapin 10 L Eucaliptos / Mentol

OPTIONAL ACCESSORIES

21H000000058	Combined Osmosis Steambath / Terma

Compact device recommended for treating the entrance water to Thermal baths and Steam baths.

11H000000021	PROFESSIONAL TERMA 9 KW
11H000000030	PROFESSIONAL TERMA 10.5 KW
11H000000014	PROFESSIONAL TERMA 12 KW
11H000000032	PROFESSIONAL TERMA 15 KW
11H000000015	PROFESSIONAL TERMA 18 KW



STEAM BATH

Device controlled by a microprocessor able to regulate and monitor all functions of the system: steam control, all function security, temperature, water entry, control of errors, dosage of aromas, working hours control with connection and disconnection.

DESCRIPTION

- Different powers of the device (three-phase + neutral + earth): 4.5 KW, 6 KW, 7.5 KW, 9 KW, 10.5 KW, 12 KW – other powers if requested -
- Weekly programming
- Temperature: from 40 ºC to 55 ºC ± 1 ºC and Humidity: ± 100 % H.R.
- Device made of stainless steel
- Measures of the external piece of furniture: wide 53 x high 106 x deep 55 cm
- Automatic connection and disconnection
- 30 available programming memories
- Control panel with clock (LCD 20 X 4)
- It is strongly recommended to install an osmosis system to avoid breakdowns (treats the entrance water to Thermal baths and Steam baths).

STANDARD FITTINGS

- Aroma dosing system
- Temperature plumb
- Breakdown detector
- Steam exit protection
- 1 Sauna essence carafe SILVAPIN 10 l.

OPTIONAL ACCESSORIES

Door + Doorframe made of stainless steel / Galvanized 80 cm
- Right opening ref. 31H000000032
- Left opening ref. 31H000000043

11H000000067	Kit Cabine Steambath
11H000000068	Kit Illumination Steambath
21H000000058	Combined Osmosis Steambath / Terma
11H000000023	STEAM BATH 4.5 KW
11H000000024	STEAM BATH 6 KW
11H000000026	STEAM BATH 7.5 KW
11H000000020	STEAM BATH 9 KW
11H000000027	STEAM BATH 10.5 KW
11H000000019	STEAM BATH 12 KW

SCANDINAVIAN FIR SAUNA

DESCRIPTION

- Manufactured in wooden modules with thermal insulation in the walls, doors and ceiling. Flexible assembly for easier adaptation to surfaces and shapes without any building work
- Wood-paneled stall non warping with internal thermal insulation
- Buiding Works not included
- Door reinforced frame, window, hydraulic closing and internal and external handles
- Independent ceiling, covered with tropical woods of Sir
- Fir floor with removable grill. Air renovation system
- Benches manufactured in ABACHI. Can be completely disassembled for improved sauna cleaning
- Programming control panel, double security thermostat, crosscurrent fuses and temperature sensor
- Electrical equipment made in Finland accredited by CE regulations. With special reinforced resistors for heater's safety.
- Volcanic stones, wood protection
- Wooden screened lamp, with natural light
- Wooden bowl and ladle for water; interior sand clock of 15 minutes, thermometer-hygrometer

TECHNICAL FEATURES

- Sauna dimensions:	295 x 245 x 210 cm
- Power:	10,5 KW
- Sauna dimensions:	300 x 300 x 210 cm
- Power:	12 KW

OPTIONAL ACCESSORIES

- Door frame + Sub-frame in stainless / Galvanised steel 80 cm with right opening Ref. 31H000000032 / with left opening Ref. 31H000000043
- Stainless steel frame, gray crystal Parsol door 10mm thickness and stainless anti-corrosion hinge
- It is supplied with a stainless steel pre-frame (dimensions: 2,02 x 0,87 m)

21H00SAU0030	Hidden Heater
21H00SAU0003	SCANDINAVIAN FIR SAUNA without door
21H00SAU0004	SCANDINAVIAN FIR SAUNA with door

VICHY SHOWER

DESCRIPTION

- Shower controlled by programming microprocessor
- Possibility to aplicate cold, warm and bithermal water
- Equipped with a shuttle manufactured in high quality stainless steel and 5 outlets with jets equipped with antisealing system

HYDROCONTROLLER

Equiped with microprocessing electronic programmer with crystal liquid screen.
Provided with manual programming with the possibility to store 40 different treatments, as well as 5 prefixed treatments:

a) Circulatory shower
b) Relaxing shower
c) Fango shower
d) Invigorating shower
e) Beauty shower

VICHY SHOWER Duo

VICHY SHOWER Zen

OPTIONAL FITTINGS

21H00DUC0001	VICHY FIBERGLASS TREATMENT TABLE Manufactured in fiberglass - Finished in lacquered white - width 0.70 m x length 1.90 m x height 0.70 m
31H000000023	VICHY INOX TREATMENT TABLE Manufactured in stainless steel AISI 316 high quality – Finished in Scotch - Includes removable face cradle - Adjustable height - width 0.65 m x length 1.85 m x height 0.70 m
21H00DUC0005	Vichy Wood treatment table Word: made from treated wood in wengue colour – Adjustable height –width 0,75 m x length 2,25 m x height 0,7 2m
1A00SRP0024	Thera-Band Mat – Colour: Blue – 190 x 60 x 1.5 cml
21H00ABÑ0087	Rubber Cushion – Colour: White
11H000000048	Cromotherapy Set 1 Colour (yellow)
11H000000066	Wellness Option (shower benefits extension).

Includes:

- Silvapin 1 L
- Cromotherapy: Possibility of including the option to aplicate colour baths, depending on the desired treatment
- Aromatherapy: Essential oils application
- Fangotheraphy: Fango and water application at the same time, taking advantage of the therapeutic properties of the fango. The fango dosage is carried out automatically by the shower and there is a manual clean system circuit at the end of the treatment

11H000000079	VICHY SHOWER – 5 sprinklers
21H000000030	SPECIAL VICHY SHOWER – 7 sprinklers
11H000000080	ZEN VICHY SHOWER – inox structure

DREAM SHOWER

DESCRIPCIÓN

- Shower controlled by programming microprocessor
- Possibility to apply cold, warm and bithermal water
- Exclusive design sprinkler of stainless steel of Ø15 cm with 49 auto-clean diffusers

HYDROCONTROLLER

- Equipped with microprocessing electronic programmer with crystal liquid screen
- Application of up to 4 different scents only in the same treatment
- Possibility of programming colour baths with the aromatherapy option and natural fango shower for beauty treatments
- Automatic changes from cold to warm water with the possibility of storage 40 different treatments
- Automatic clean circuit system in the last treatment

Provided with manual programming with the possibility to store up to 40 different treatments, as well as 5 prefixed treatments:

a) Circulatory shower
b) Relaxing shower
c) Mud shower
d) Tonic shower
e) Beauty shower

OPTIONAL FITTINGS

11H000000051	Multi-functional button
11H000000047	Chromoteraphy SET 4 colours

- Automatic activation depending on the selected product
- 2 yellow halogenous focuses 12 V 50 W
- 2 red halogenous focuses 12 V 50 W
- 2 green halogenous focuses 12 V 50 W
- 2 blue halogenous focuses 12 V 50 W
- 2 white halogenous focuses 12 V 50 W

21H000000013	DREAM SHOWER

BITERMICA SHOWER

DESCRIPTION

- Upper chroming sprinkler of Ø20 cm ½ "H
- Shower controlled by programmable microprocessor
- Possible applications: with hot water, cold and bithermic

HYDROCONTROLLER

- Equipped with electronic microprocessed programmer with screen of liquid glass and electrovalve panel
- It has manual programming with possibility of storing up to 40 different treatments, as well as of 5 prefixed treatments:

a) Circulatory Shower
b) Relaxing Shower
c) Mud Shower
d) Tonic Shower
e) Beauty Shower

OPTIONAL FITTINGS

11H000000045	Anti-vandalic button
11H000000051	Multi-functional button
11H000000048	Kit Chromotherapy 1 Colour (yellow)
11H000000047	Kit Chromotherapy 4 colours
11H000000066	Wellness Option (amplification benefits shower)

Including:

- **Silvapin 1L**
- **Chromotherapy:** Possibility to include in the shower the option of applying color bathrooms in function of the treatment type that we want to apply
- **Aromatherapy:** Application of essential oils
- **Fangotherapy:** Application of mud and it dilutes at the same time, taking advantage of the therapeutic estates of the mud. The dosage of the mud carries out it automatically the shower. Manual System of cleaning ofthe circuit at the end of the treatment

21H000000015 BITERMICA SHOWER

GRAN CANYON BITERMICA SHOWER

DESCRIPTION

- Shower with big volume of water and upper sprinkler of Ø23 cm
- Shower controlled by programmable microprocessor
- Possible applications: with hot water, cold and bithermic

HYDROCONTROLLER

- Equipped with electronic microprocessed programmer with screen of liquid glass and electrovalve panel
- It has manual programming with possibility of storing up to 40 different treatments, as well as of 5 prefixed treatments:

a) Circulatory Shower
b) Relaxing Shower
c) Mud Shower
d) Tonic Shower
e) Beauty Shower

OPTIONAL FITTINGS

11H000000045	Anti-vandalic button
11H000000051	Multi-functional button
11H000000048	Kit Chromotherapy 1 Colour (yellow)
11H000000047	Kit Chromotherapy 4 colours
11H000000066	Wellness Option (amplification benefits shower)

Including:
- **Silvapin 1 L**
- **Chromotherapy:** Possibility to include in the shower the option of applying color bathrooms in function of the treatment type that we want to apply
- **Aromatherapy**: Application of essential oils
- **Fangotherapy**: Application of mud and it dilutes at the same time, taking advantage of the therapeutic estates of the mud. The dosage of the mud carries out it automatically the shower. Manual System of cleaning of the circuit at the end of the treatment.

21H000000022	GRAN CANYON BITERMICA SHOWER

WATER CURTAIN

DESCRIPTION

- Corridor of 4m length with 4 water outlets placed on the roof made of stainless steel AISI 316 which pulverizes water
- Personalised installation according to the premises dimensions

STANDARD ACCESSORIES

11H000000045	Anti-vandalic button

OPTIONAL FITTINGS

11H000000048	Kit Chromotherapy 1 Colour (yellow)
21H000000019	WATER CURTAIN (bithermal)

CIRCULAR SHOWER

DESCRIPTION

- Upper chroming sprinkler of Ø15 cm
- Manufactured in high quality stainless steel
- Shower controlled by programmable microprocessor
- Possibility to apply cold, warm and bithermal water
- It has 5 independent levels divided into 4 areas: lower extremities, waist/lumbers, trunk and head
- Structure composed by 3 columns that supports 4 rings. Each ring represents one level. Each level has 100 orifices

HYDROCONTROLLER

- Equipped with electronic microprocessed programmer with screen of liquid glass and electrovalve panel
- It has manual programming with possibility of storing up to 40 different treatments, as well as of 8 prefixed treatments:

a) Drainage Shower
b) Anti-cellulitis Shower
c) Circulatory Shower
d) Total Shower
e) Stimulant Shower
f) Relaxing Shower
g) Mud Shower
h) Cold Shower

Hydrocontroller

OPTIONAL FITTINGS

11H000000045	Anti-vandalic button
11H000000051	Multifunction push button
11H000000048	Chromotherapy Set 1 Colour (yellow)
11H000000066	Wellness Option (shower benefits extension)

Includes:

- **Silvapin 1L**
- **Cromotherapy:** Possibility of including the option to aplicate colour baths, depending on the desired treatment
- **Aromatherapy:** Essential oils application
- **Fangotheraphy:** Fango and water application at the same time, taking advantage of the therapeutic properties of the fango. The fango dosage is carried out automatically by the shower and there is a manual clean system circuit at the end of the treatment

21H000000014 CIRCULAR SHOWER

KNEIPP SHOWER PANEL

DESCRIPTION

Kneipp shower wall mounted on an AISI 316 stainless steel panel. The service connections are easily accessed from the back.

It is made up of the following parts:

- Temperature instrument
- Pressure instrument
- Inlet valves for hot and cold water
- Water hose outlet valves
- Three-way valve for rapid change between hot and cold water
- GROHE ¾" thermostatic battery
- Three 2.5 m hoses
- Three nozzles; one 8 mm Ø nozzle, one laminar outlet nozzle and one shower head.
- Outlet valve for sanitary shower

DIMENSIONS

80 x 64 x 17 cm

11H0000000001	KNEIPP SHOWER PANEL

OPTIONAL ACCESSORIES

13BOQ0000004	Rotatory nozzle for intermittent jet

JET SHOWER

DESCRIPTION

- Shower controlled by programming microprocessor with the possibility to apply cold, warm and bithermal water
- Possible application of mud, alga or aromas mixed with water
- Equipped with 3 hoses and 3 outputs (8 mm diameter, shower and plane)



HYDROCONTROLLER

- Equiped with programmer electronic microprocessed with screen of liquid glass
- It has manual programming with possibility of storing up to 40 different treatments, as well as of 5 prefixed treatments:

a) Circulatory Shower
b) Relaxant Shower
c) Mud Shower
d) Tonic Shower
e) Beauty Shower

OPTIONAL FITTINGS

11H0000000048	Cromotherapy KIT 1 Colour (yellow)
11H0000000066	Wellness Option (shower benefits extension rovision)

Includes:
- **Silvapin 1 L**
- **Cromotherapy:** possibility of including the option to aplicate colour baths, depending on the desired treatment
- **Aromatherapy:** Essential oils application
- **Fangotheraphy:** Fango and water application at the same time, taking advantage of the therapeutic properties of the fango. The fango dosage is carried out automatically by the shower and there is a manual clean system circuit at the end of the treatment.

11H0000000083 JET/KNEIPP ELECTRONIC SHOWER

CYCLONIC OR SCOTTISH SHOWER

DESCRIPTION

- Upper chroming atomiser 20 cm 1/2 "H
- Shower controlled by programming microprocessor
- Possibility to apply cold, warm and bithermal water
- It has 18 atomisers distributed in 4 areas and a flow volume upper applicator

a) Lower extremities
b) Waist / Lumbers
c) Trunk
d) Head

HYDROCONTROLLER

Equipped with a microprocessing electronic programmer with crystal liquid screen and electrovalve panel.
Provided with manual programming with the possibility to store up to 40 different treatments, as well as 8 prefixed treatments:

a) Drainage shower
b) Anticellulitic shower
c) Circulatory shower
d) Total shower
e) Stimulant shower
f) Relaxing shower
g) Fango shower
h) Cold shower

OPTIONAL FITTINGS

11H000000045	Anti-vandalic button
11H000000051	Multifunction push button
11H000000048	Chromotherapy Set 1 Colour (yellow)
11H000000066	Wellness Option (shower benefits extension)

Includes:
- Silvapin 1L
- Cromotherapy: Possibility of including the option to aplicate colour baths, depending on the desired treatment
- Aromatherapy: Essential oils application
- Fangotheraphy: Fango and water application at the same time, taking advantage of the therapeutic properties of the fango. The fango dosage is carried out automatically by the shower and there is a manual clean system circuit at the end of the treatment.

11H000000078	CYCLONIC / SCOTTISH SHOWER
21H000000021	CYCLONIC / PULVERIZED SHOWER

SPA ALPHA

Professional hydromassage with capacity for 4 people seated

DESCRIPTION

- 2.25 x 2.25 x 1 m + LAMP + Ø500 SPA FILTRATION SET
- Manufactured in 5 mm thick thermoformed sanitary polymethyl methacrylate. External reinforcement in fibreglass + multi-component polyester and with an insulating lining of expanded polyurethane
- Fitted with perimetral overflow, drain, filter nozzles, hydromassage nozzles, blower nozzles, hydromassage push buttons and Venturi inlets, overflow grill and compensation tank with capacity for 1.000 l.
- Ø500 Spa Filtration Set
- Assembly made up by the filter unit, recirculation pump, hydromassage pump, blower pump, protection panel and electrical heater
- System controlled by Hydrocontroller capable of programming features or hydromassage.
- Massage activation by means of piezoelectric push buttons
- Lamp + Transformer Kit
- Kit de Foco + Transformador

- **Shape:** OCTAGONAL
- **Overall external dimensions:** 2.25 x 2.25 x 1 m
- **Power:** 11 kW

21H00SPA0010 SPA MODEL ALPHA+LAMP+ Ø500 SPA FILTRATION SET

Capacity	4 people seated
Water capacity	1.216 l.
Spa weight	210 kg
Packing volume	6,38 m³
Light + transformer	50 W
Air control	2
Blower nozzles (orifices)	7 (140)
Jets	4
Pneumatic buttons	2
Drains	1
Return nozzles	1



Hydrocontroller pool&spa

SPA Lambda

Professional hydromassage with capacity for 6 people seated

DESCRIPTION

- Ø 2.35m + LAMP + SPA FILTRATION SET
- Manufactured in 5mm thick thermoformed sanitary polymethyl methacrylate. External reinforcement in fibreglass + multi-component polyester and with an insulating lining of expanded polyurethane
- Fitted with perimetral overflow, drain, filter nozzles, hydromassage nozzles, blower nozzles, hydromassage push buttons and Venturi inlets, overflow grill and compensation tank with capacity for 1.000 l.
- Ø650 Spa Filtration Set
  - Assembly made up by the filter unit, recirculation pump, hydromassage pump, blower pump, protection panel and electrical heater
  - System controlled by Hydrocontroller capable of programming features or hydromassage. Everything installed with stainless steel support galvanized for a best use of space
  - Massage activation by means of piezoelectric push buttons
- Lamp + Transformer Kit
  - **Shape:** CIRCULAR
  - **Overall external dimensions:** Ø 2.35 m
  - **Power:** 12 KW

Capacity	6 people seated
Water capacity	1.600 l.
Spa weight	250 kg
Packing volume	7,23 m³
Light + transformer	50 W
Air control	2
Blower nozzles (orifices)	14 (280)
Jets	6
Pneumatic buttons	2
Drains	2
Return nozzles	2



21H00SPA0013 SPA MODEL LAMBDA+LAMP+ FILTRATION SPA

Hydrocontroller pool&spa

SPA Omega

Professional hydromassage with capacity for 7 people seated

DESCRIPTION

- 2.3 x 2.3 x 1 m + LAMP + SPA FILTRATION SET Ø650
- Manufactured in 5 mm thick thermoformed sanitary polymethyl methacrylate. External reinforcement in fibreglass
- Fitted with perimetral overflow, drain, filter nozzles, hydromassage nozzles, blower nozzles, hydromassage push buttons and Venturi inlets, overflow grill and compensation tank with capacity for 1.000 l.
- SPA FILTRATION SET Ø650
  - Assembly made up by the filter unit, recirculation pump, hydromassage pump, blower pump, protection panel and electrical heater
  - System controlled by Hydrocontroller capable of programming features or hydromassage.
  - Massage activation by means of piezoelectric push buttons
- Lamp + Transformer Kit

Capacity	7 people seated
Water capacity	1.800 l.
Spa weight	300 kg
Packing volume	7,23 m³
Light + transformer	50 W
Air control	3
Blower nozzles (orifices)	14 (280)
Jets	6
Pneumatic buttons	2
Drains	2
Return nozzles	2



21H00SPA0011 SPA MODEL OMEGA + LAMP + FILTRATION SPA SET Ø650

Hydrocontroller pool&spa

SPA Delta

Professional hydromassage with capacity for 10 people seated

DESCRIPTION

- Ø 2.93 m + LAMP + SPA FILTRATION SET Ø650-2
- Manufactured in 5mm thick thermoformed sanitary polymethyl methacrylate. External reinforcement in fibreglass + multi-component polyester and with an insulating lining of expanded polyurethane
- Fitted with perimetral overflow, drain, filter nozzles, hydromassage nozzles, blower nozzles, hydromassage push buttons and Venturi inlets, overflow grill and compensation tank with capacity for 1.000 l.
- Lamp set + Transformer
- Ø650-2 Spa Filtration Set
  - Assembly made up by the filter unit, recirculation pump, 2 hydromassage pumps, blower pump, protection panel and electrical heater
  - System controlled by Hydrocontroller capable of programming features or hydromassage.
  - Massage activation by means of piezoelectric push buttons

- **Shape:** CIRCULAR
- **Overall external dimensions:** Ø 2.93 m
- **Power:** 16 KW

Capacity	10 people seated
Water capacity	2.000 l.
Spa weight	385 kg
Packing volume	18.24 m³
Light + transformer	50 W
Air control	2
Blower nozzles (orifices)	18 (360)
Jets	16
Pneumatic buttons	2
Drains	3
Return nozzles	1



21H00SPA0012 SPA MODEL DELTA + LAMP + FILTRATION SPA SET Ø650-2

THERAPEUTIC SWIMMING POOLS

DESCRIPTION

Our technical department designs totally personalised swimming pools and focused on each customers' needs. In this way, each swimming pool is unique, functional and adapted to end-users.

When creating a pool is important to bear in mind the mobility of the users as well as the activities that are going to be carried out inside of it. In a therapeutic pool, attractions can be incorporated in order to bring not only dynamism and entertainment, but also help to improve results of the treatment and relax users.

- Mini-waterfall
- Cervical jets
- Water Curtain
- Inox beds
- Aquatic cross current - with glass-wall to help -
- Physiotherapists to control and correct patients
- Cyclonic shower - Subaquatic Cyclonic shower -
- Hydromassage
- Patient lift

FINISHED INSTALLATIONS

Nowadays, Electromedicarin has all over the country more than 50 hydrotherapy centres. The last two important ones, in terms of investment, are a project for Real Madrid F.C "Centro de aguas Ciudad Real Madrid" in Madrid and a cutting-edge geriatric in Vigo, Doral Residencias.
Moreover, our company is present at an international level in more than 15 countries: Mexico, Chile, Rumania, Turkey, Portugal, Lithuania, Morocco, Zimbabwe, Tunisia, Egypt, Arabia Saudi, Jordanian, Syria, E.A.U., Lebanon, Oman y Thailand, and so on. Two of our most relevant hydrotherapy projects have been carried out in Rumania: Felix BAD (Oradea City) and Hotel Europe (Erforie City).

ADVICE - You have the idea, we make it become true

- Planning and Advice – the first idea on paper
  You give us an area and a concept. ELECTROMEDICARIN offers a project and experience.

- Technical Plans Development
  Plans Installation of each of the elements of the hydrotherapy centre will be provided.

- Preinstallation Direction
  Technical needs calculation
  Water Intakes
  Electric connection
  Drainage

- Building work monitoring
  Periodic reports
  Direct Line with our Technical Department
  Building work Coordination

- Installation & Starting up
  Installation Inspection
  Good's verification
  Maintenance Personnel Training

Physio-aesthetics
Megasonic 313
Megasonic 900
Microondas
Accesorios y Consumibles en Electroterapia

MODREN

BODYCELL and BODYSOFT

Bioimpedanciometre: Body Composition Analyzer
Bodysoft: Interpretation of the results

Technique aplicable to Physiotherapy or Physioaesthetics. In only 15 seconds Bodycell provides you with a highly precise measurement of your patients' body composition. Moreover, with the new software Bodysoft, you can interpret the results, register an unlimited data base and create a diet according to the Zone Diet principals. You will be able to make even more profit of your investment increasing the offer of services in your clinic.

APLICABLE IN:

- Cosmetic Therapy (Physioaesthetics)
- Pediatric Physical Therapy
- Geriatric Physical Therapy
- Rheumatological Physical Therapy
- Sports Physical Therapy
- Traumatological Physical Therapy
- Gynecological Physical Therapy
- Cardiovascular Physical Therapy
- Neurological Physical Therapy
- Antiaging

DESCRIPTION BODYCELL

- Ergonomic design with tactile display
- Memory for storing patients data
- Obtaining indexes based on: Impendance, Multifrequency, Race, Sex, Age, Activity, Sport and so on.

OBTAINING THE FOLLOWING BODY INDEXES

- Impedance
- Reactance
- Resistance
- Phase Angle
- Cell Mass
- Extracellular Mass
- Fat Free Mass
- Fat Mass
- Body Mass Index
- Basal Metabolism
- Intracellular Water
- Extracellular Water
- Total Body Water
- Daily Energetic Needs

BIOIMPEDANCE ADVANTAGES

- Control the Body Composition of a person (used also in sports medicine), helps to establish suitable dietetic parameters and evaluates constantly his/her results (graphic comparison of different data, sessions and indexes)
- Direct monitoring of the treatment, of the evolution of the cellulitis and of any other type of edema like the linfedema and so on
- Identify the aging level of the patients and control their stress
- Know about the efficency of the patients' rehabilitation programme so as to modify parameters and improve results

TECHNICAL DATA OF BIOIMPEDANCE MEASURING

- **Bioimpedance magnitude and phase measurement**
- **Multifrequency measurement:** 1 – 5 – 10 – 50 – 100 Hz
- **Frequency accuracy:** ±0.1 % of 1 Hz

GENERAL TECHNICAL SPECIFICATIONS

• Mains Voltage:	100 – 240 V 50 / 60 Hz
• Max Input. Current:	0.45 A~
• Output:	7 VDC, 2 A
• Dimensiones:	180 x 210 x 50 mm
• Weight:	1 kg
• Batery:	3 internal rechargeable NiMH batteries
• Autonomy:	7 h. (more than 80 measurements)*

* Under the following conditions: recharged bateries, measuring every 5 minutes and with the device always connected.

11E000000055 BODYCELL / BODYSOFT

BODYSOFT'S DESCRIPTION. LATEST NOVELTY

- It is a Software that connects your PC with your Bodycell so as to send all measurements from Bodycell to your PC for all data interpretation
- With Bodysoft you can do the follow-up of all your patients and hand them in reports of their evolution
- Bodysoft is capable of generating diets according to in Zone Diet parametres based on the information of your patient (measurements done with Bodycell)
- Weekly diets with different food combinations

Dermodren

A depressotherapy unit which allows the professional to carry out a controlled vacuum that works from the depth to the surface of the skin

HOW DOES DEPRESSOTHERAPY WORK

This no invasive technique acts on the skin, subcutaneous cellular tissue, muscle and circulatory system. Increases local circulation, unstucks and looses up adhesions and increases local metabolism.

DESCRIPTION

- 3 Types of Applicators: "Palper-rouler" (large surface), Body and Face (with 2 interchangeable)
- Suction cup that allows to do a "3-hand dranaige"
- Maximum vacuum pressure of –800 mbar. Vacuum selection in 16 steps of 50 mbar each
- Continuous or pulsed (0.1 – 2 Hz) treatment mode
- Memory for treatments: pre-set programmes and user memory (up to 84 treatments)

DERMODREN, 3-HAND DRAINAGE

"Calling Maneuvers" Programme for ganglion proximal synchronized with the distal aspiration maneuvers. Thanks to that, linfatic manual drainage effects are improved. You can do the lymph-aspiration and ganglionar casting at the same time and coordinated.

OPTIONAL MICRODERMOABRASION SYSTEM

Microdermoabrasion diamond handpiece for a mechanical controlled peeling of the external layer of the skin to increase production of collagen. It will be delivered with different size heads to use depending on the skin type of the patient.

TECHNICAL FEATURES

- **Mains Voltage:** 230 V ±10 % (versión 230 V)
  115 V ±10 % (versión 115 V)
- **Mains Frequency:** 50 / 60 Hz
- **Dimensions:** 450 (width) x 500 (depth) x 150 (height) mm
- **Weight:** 20 Kg

SOME OF THE POSSIBLE TREATMENTS

Cosmetic Treatments (Physioaesthetics)
Cellulitis, edemas, obesity, pre-post aesthetic surgery, scars, stretch marks, facial rejuvenation, local adiposity, corporal shaping and reaffirmation, acne, open pores, pigmentation, facial and body mechanical peeling

Treatment and rehabilitation of sport injuries
Sprains, hematoma, tendinitis, contractions and muscular fibrillation, tendinous retractions, muscular recuperation, traninings

CardiovascularRehabilitation
Lymphedema, complex edemas, tired legs

Rhematological Treatments
Low back pain, acute neck pain, dorsal pain, muscular retractions, inflammation, epicondylitis

Traumatological Treatments
Stiffness, traumatic edemas, muscular pathology, adhesions

STANDARD ACCESSORIES

11E0000000011	DERMODREN
12A00DER0002	1 Body handpiece
12A00DER0001	1 Face handpiece with 2 mouthpiece
12A00DER0005	Mouthpiece - Terminal 2 mm
11A00DER0002	Mouthpiece - SuctionTerminal
12A00DER0004	1 Inguinal Suction cup
11A00CAB0005	1 A/C cable
12A00DER0003	1 Palper-Rouler handpiece
1 User Manual	
1 Guarantee	

OPTIONAL ACCESSORIES

Microdermoabrasion system:
Set of diamond mouthpieces (different sizes).

Lynfadren

Unique pressotherapy unit capable of doing lymphatic drainage, venouse derivation and TVE prevention (Trombo Venous Embolism)

Natural therapy very pleasant for the patient without any secondary effects

DESCRIPCTION

- Differential characteristics: sequential mutisection, controlled gradient, sequential controll, Calling Maneuvers
- 4 Basic treatment types
  1. Venous insufficiency
  2. Lymphatic insufficiency
  3. Venous-lymphatic: a combination of the treatments above
  4. Venous sole bomb
- Sleeves maximum pressure: 150 mmHg and Vacuum Maximum: 350 mmHg
- Independent programming of the 13 sections of the leg sleeve
- Provided with emergency button for the patient
- Treatments User memory and pre-set programmes memory

CONTRAINDICATIONS

- Thrombus phlebitis
- Phlebothrombosis
- Pulmonary edema
- Accute skin inflammation (except Ulcus Cruris)
- Descompensated Cardiac insufficiency
- Malignant tumor
- Erysipelas
- Alteration of the arterial regulation

TECHNICAL DATA

- **Mains Voltage:** 230 V ±10 % (versión 230 V)
  115 V ±10 % (versión 115 V)
- **Mains Frequency**: 50 / 60 Hz
- **Dimensions:** 49 (width) x 50 (depth) x 120 (height) cm
- **Weight:** 50 kg
- **Graphic:** TFT colour 12.1" display

STANDARD ACCESSORIES

11E000000012	LYNFADREN
11A00CAB0005	1 A/C Cable
12A00MEG0001	1 Patient safety control
12A00DER0004	2 Suction cups (Nodes stimulation)**

1 User Manual
1 Guarantee

** In case of purchasing the same two sleeves (arms or legs) then 2 suction cups will be supllied

OPTIONAL ACCESSORIES

11E00ACC0001	RIGHT LEG SLEEVE
11E00ACC0005	LEFT LEG SLEEVE

Divided into 12 sections + 1 section for the sole (foot)

11E00ACC0002	RIGHT ARM SLEEVE
11E00ACC0006	LEFT ARM SLEEVE
11E00ACC0004	MITTEN SLEEVE

Divided into 12 sections + 1 annex sector for the palm (hand)

11E00ACC0003	RIGHT ABDOMEN SLEEVE
11E00ACC0007	LEFT ABDOMEN SLEEVE

Divided into 4 sections. The abdomen sleeves are always accessories of the leg sleeves, they are never provided individually.

WOOD WELLNESS COUCH

Pure elegance

Elegance, distinction and comfort for the most demanding clients

DESCRIPTION

- Couch made of solid beech wood painted in wengue colour (dark brown), excellent for wellness and physio-aesthetic treatments
- Comfortable upholstery, with adjustable headrest and a removable headboard with facial hole
- It is possible to separate upholstery from structure for treatments on the floor (like a Tatami)
- Reinforced structure with 90 mm diameter legs
- Upholstery Colours: Wengué (optional: white)

WOOD WELLNESS COUCH

- **Upholstery dimensions (2 sections)**
  850 x 1835 x 720 mm

- **Headboard dimensions**
  230 mm (w) x 300 mm (l)

LITTLE WOOD WELLNESS COUCH

- **Upholstery dimensions (2 sections)**
  700 mm (w) / 1835 mm (l / 720 mm (h)
- **Headboard dimensions:**
  230 mm (w) / 300 mm (h)

21S00CAM0002	WOOD WELLNESS COUCH
21S00CAM0017	LITTLE WOOD WELLNESS COUCH

Unbeschelden Redcord Thera-B

BH Exercycle

Cardiovascular equipments

G247 Iridium Avant Generator

- Self generated ergometer: Electromagnetic system without cable prepared for light commercial use
- Electromagnetic brake system: Provides an extensive range of tensions (more than 300 watts). No noise and a life time of resistance
- DOT MATRIX with 12 pre-set training profiles, 4 HRC Programs and 1 user's Program
- Useful programs that will help the user to control the fitness condition
- SWR Steady Watts Rate Program: Specially designed for rehabilitation purposes
- Watts and RPM calculation: Vital information for accurate measurement of training workout
- Telemetric pulse control: For an accurate and comfortable control of the heart through use of a chest strap
- Contact pulse measurement system: Provides targets for advance training
- A custom course: Allow the user to design their own program
- Elliptical movement: Brings non-impact C.V. exercise to more than 200 muscles
- Total body workout: Works arms, waist, back, gluteals and legs with high precision
- Oversized frame: Extremely strong for the most intensive trainings

SPECIFICATIONS

- **Dimensions:**	175 x 60 x 157 cm
- **Weight:**	70 Kg

11A00FIT0081	G247 IRIDIUM AVANT GENERATOR

H6715 BIOBIKE

DESCRIPTION

- Eassy access
- Adjustable saddle
- Multiposition handlebar

FEATURES

- Designed for regular use at home: Ready to be used from 3 to 7 hours per week
- Magnetic brake system: Maintenance free. Quiet and smooth pedalling through an extensive range of tensions
- LCD monitor: Very easy to use. Display the following functions: time, RPM, speed, distance, calories and pulse
- Heart Rate Control Program: Allows cardiovascular zones to be targetted during the workout. Automatically controls workout intensity to maintain effort at chosen pulse limits
- Body Fat test: Helps to control de figure
- Recovery test (RT): Helps to control the fitness condition through controlled recovery
- Open frame: Gives easy access to exercising
- Ergonomically designed: Offers maximum comfort and stability while pedalling
- Equipped with tension knob to regulate 8 accurate workload points (manual): to select workout´s intensity
- Ergonomic handlebar regulation system: Prevents arm muscle fatigue
- Contact pulse measurement system: Provides targets for advance training
- Horizontal and vertical adjustment of the seat: Helps everyone find their correct pedalling position
- Wheels for transportation: easy to move in the house

SPECIFICATIONS

- **Dimensions:**	108 cm x 59 cm x 143 cm
- **Weight:**	37 Kg
- **Recommended maximum user weight:**	100 Kg
- **Flywheel weight:**	7 Kg

11A00FIT0077	H6715 BIO BIKE

G637TV Explorer EvolutionTV

- 3.5 CV motor (peak): Gives a silence speed between 1 and 19 km/h
- Special hypoallergenic haldlebar
- Electric incline 0 % to 15 %: To increase the intensity of training programs
- Extra wide and long running track (50 x140 cm)
- Electronic monitor with 9 pre-set programs and 10 different levels
- Heart Rate Control Program: Automatically controls workout intensity to maintain effort at chosen pulse limits
- Automatic speed and incline selector: Helps to control speed and the slope easier
- Telemetric pulse control: Chest strap monitor provides targets to assist advances in training and comfortable to use
- Integrated speed powerful fan: Provides a nice cooling sensation while exercising
- SDS (Soft Drop System): A safety system that prevents back injuries
- Wheels for transportation
- Safety key / auto stop
- TV screen 7'' with the best image quality
- RCA connector for DVD

MONITORS SPECIFICATIONS
Mod. G637TV

- **Dimensions:** 184 x 90 x 141 cm
- **Weight:** 97 Kg

11A00FIT0082 G637 EXPLORER EVOLUTION

VIBRATORY PROFESSIONAL PLATFORM MODEL YV30

DESCRIPTION

- Triaxial movement
  1. To work all muscle groups, not only those aligned longitudinally
  2. Extends the layer of fat and provides cells with an oxygen intake, making the elimination "cellulitis" far easier
- Maximum performance in minimum time
- With the vibration platform we can do 3 minute exercise sessions 12 times per week to achieve optimum results
- Compatible with other sportive activities: XL vibration concept is not meant to replace other sport, health or beauty treatments, it boosts the effects of positive results
- Suitable for all: Anyone, independent of age or physical condition, can use the Vibroboost platform
- Vibration plate fitted with 10 mm thick yoga mat
- For greater comfort, especially for exercises that require upper limb, hip or buttock support
- Central grip handlebar: For greater comfort and headrest for seated exercises

SPECIFICATIONS

- **Vibration type:** Triaxial (three spatial axes)
- **Power:** 2 x 200 W motors (alternating current)
- **Voltage:** 220 V/240 V - 50/60 Hz.
- **Vibration frequency:** 30, 35, 40, 45 Hz
- **Vibration amplitude:** - low; displacement from 1 to 2 mm - high; displacement from 3 to 4 mm
- **Programs:** 5
- **Programming:** 30, 45, 60 y 90 seg.
- **Maximum user weight:** 180 Kg
- **Measures:** 70 x 70 x 140 cm
- **Net weight:** 85 Kg

Thera-Band®
System Of Progressive Resistance™

EXERCISE BANDS AND TUBING

Our exercise bands and tubing are ideal for building upper and lower body strength for rehabilitation and fitness. Whether building strength after shoulder or knee surgery or improving athletic performance, our bands, tubes and corresponding resistance exercise programs can be easily and cost effectively incorporated into any program.
The progressive resistance of our products parallels the basic concepts of building strength and mobility. As each level is mastered in a rehabilitation or strength program, the resistance can be increased with ability. The use of elastic resistance rather than weight-bearing exercises minimizes pressure on the joints and decreases the possibility of incurring other injuries.
The light-weight, portable nature of our products makes it easy to incorporate an exercise program into any lifestyle. They can be used while travelling, sitting at home or even in the office.

Accessories

Thera-Band® simplify the training or rehab process. Handles provide an easy, secure grup for bands or tubing. The Assist attachment device and Extremity Strap increase the range of exercises that can be performed with bands and tubing. They allow users with poor grip strength, like civtims of arthritis, to use bands and tubing in training and rehab programs. Door Anchors are used to secure bands or tubing for upper and lower body workouts.

Thera-Band® Exercise Bands ®

Made of latex, Thera-Band® exercise bands and tubing are low-cost, portable and versatile resistance products with virtually unlimited uses for improving strength, mobility and flexibility. Developed for people with allergies to latex, latex-free exercise bands provide the same benefits as regular bands.

Tubing

Made of natural rubber, exercise tubing is available in seven levels of progressive resistance.

Kit “First Step, Health Activation”

This Kit contains a Thera-Band® band and an exerciser program scientifically prepared for aduts older than 50 years old or more. It is focused on improving exercises for heart, flexibilitym strengthening and balance.

For more information
www.FirstSteptoActiveHealth.com

Thera-Band®
System Of Progressive Resistance™

Soft Weights

One size ball available in six different weights.

- Easy-to-grip soft shape
- Ideal for home or gym use

Thera-Band® Soft Weights are hand-held, ball-shaped isotonic weights. They are unique because the size of the ball, with a diameter of 4.5", does not increase as weight increases. Soft Weights follow the Thera-Band system of progressive exercise and are available in six color-coded weights, ranging from tan (½ kg/1.1 lbs), to black (3 kg/6.6 lbs), increasing in 1/2 kg/1.1 lb. increments. Soft Weights allow users to increase weight in resistive training and rehabilitation programs without changing grip or technique, which is fundamental to the principles of progressive exercise.

SOFT WEIGHT

11A00SRP0438	SET SOFT WEIGHT (6 UNITS)
11A00SRP0404	SOFT WEIGHT BEIGE 0,5 KG
11A00SRP0371	SOFT WEIGHT YELLOW 1 KG
11A00SRP0370	SOFT WEIGHT RED 1,5 KG
11A00SRP0369	SOFT WEIGHT GREEN 2 KG
11A00SRP0368	SOFT WEIGHT BLUEL 2,5 KG
11A00SRP0367	SOFT WEIGHT BLACK 3 KG

Storage racks for Soft Weights

There are 2 different models, eache one with a capacity for 6 balls.

11A00SPR0138	STORAGE for Soft weight (1 shelf for 6 balls)
11A00SPR0139	STORAGE for Soft weight (2 shelves for 3 balls each shelf)



MAT

Thera-Band® exercise mats provide comfort, safety and protection against injury during rehab or fitness exercise. The closed-cell construction resists tearing, improves durability, is waterproof and easy to clean. They are 75 % lighter than the old ones and easier to roll up, transport and to store. There are 3 available colours.

11A00SPR0024	Thera-Band Mat 190 x 60 x 1.5 cm Blue
11A00SPR0123	Thera-Band Mat 190 x 60 x 2.5 cm Blue
11A00SPR0120	Thera-Band Mat 190 x 100 x 1.5 cm Blue

Thera-Band®
System Of Progressive Resistance™

BALANCE AND STRETCHING

Every day activities require both balance and flexibility, like reaching for a glass in the cupboardm bicycling, lifting wood for the fire or playing with the grandchildren and their new scooter. If the body isn't up for it, the muscles and bones may suffer. Achieving good balance and flexibility can improve physical performance as well as relax the body. Even professional athletes and recreational athletes can improve their performance.

SDS® Exercise Balls

SDS® (Slow Deflate System) exercise balls meet the demands of fitness applications that involve dynamic aeróbic activities and provide an extra margin of safety when exercising by users such as pregnant women and the elderly. Made from a specially formulated compound, it resists the tendency to burst when punctured. In independent laboratory tests, SDS® exercise balls consistently provide gradual deflation time when punctured. Four sizes are available.

Exercise Balls

Thera-Band® exercise balls are inflatable balls used for strength and balance training. Each ball comes with two plugs and an inflation adapter, along with a poster illustrating 24 exercises. Five sizes are available to accommodate user height variations.

Stability Trainer

Thera-Band® Stability Trainer is used in exercise programs to improve motor skills and balance, particularly among the elderly, and for knee, back and ankle rehab. Two foam pads of different densities allow users to work through five progressive levels by starting on a firm surface and then standing on either pad or stacking them. The green Stability Trainer is firm, and provides a beginning level of challenge. The blue Stability Trainer is soft, and introduces an increased level of challenge to the user.

STABILITY TRAINER

11A00SPR0102	Stability Trainer Blue
11A00SPR0103	Stability Trainer Green
11A00SPR0104	Stability Trainer Black with stimulation points

Thera-Band®
System Of Progressive Resistance™

EXERCISE STATION

The Thera-Band® Exercise Station combines strength, balance and flexibility exercises into one convenient system for fitness and therapy. It allows easy progression of exercises by increasing the challenge or resistance of the exercise.

Exercise Station Thera-Band®

The system was designed to integrate the use of progressive elastic resistance for strength training with exercise balls, fitness steps and stability trainers. The center cavity fits all popular exercise ball sizes as well as Thera-Band Stability Trainers, Rocker Boards and Wobble Boards (available separately). The durable, high-impact polyethylene construction holds up to repeat use, while its granite color blends in with most fitness facilities and clinics. With 10 rubber feet on the bottom, it resists slipping on hard surfaces.

11A00SPR0130 EXERCISE STATION

Accessories included:

2 Thera-Band tubing of 30 cm, 45 cm, 60 cm in red, green and blue; 1 Exercise Bar, 2 Thera-Band Handles and two assists to fix at the Exercise Station

* The following items can be optionally used with the Exercise Station:

Soft Weights, Stability Trainers, Balance Boards, Door Anchors and Rehabilitation Balls

Thera-Band®
System Of Progressive Resistance™

HAND EXERCISE

The exercise programs developed for use with Thera-Band brand hand exercise balls and bars will improve dexterity, mobility and grip strength; rehabilitate and strengthen hands, wrists, forearms and shoulders; and relieve pain through hot and cold therapy.

The hand exercise balls are available in two sizes and five resistanve levels to meet most therapy, fitness, strength and agility training needs. And, as always these Thera-Band products are supported with dozens of ball and bar specific exercises for hands, upper extremities and joints, all developed by physical therapists and professional trainers.

Hand Exerciser

Thera-Band hand exercisers are used for strengthening the hand, fingers and foreaarm and increasing dexterrity. Other applications include reducing stress and fot and cold therapy. The softer yellow and red models fill the gap between putty and spring devices and are not messy like putty. Place a hand exerciser into the microwave or freezer for hot or cold therapy.
The XL size was designed for arthritis victims and people with large hands who are u ndergoing physical therapy or strength training. An elongated ball, it is one-third larger than the original hand exerciser.

Hand Exerciser

11A00SPR0094	Hand Exerciser 8 Green colour
11A00SPR0095	Hand Exerciser 9 Red colour
11A00SPR0096	Hand Exerciser 8 Yellow colour
11A00SPR0097	Hand Exerciser 6 Orange colour
11A00SPR0098	Hand Exerciser 10 Blue colour

Progressive Hand Trainer

Progressive Hand Trainer has a progressive ressistance for rehabilitation after surgery. It facilitates a progressive hand and wrist extension; functional exercises with fingers that improve hands and fingers strength and mobility through an elastic progressive ressistance from ivory colour (extra light) to black (extra strong)..

Progressive Hand Trainer

11A00SPR0104	Progressive Hand Trainer SET 6 BANDS
11A00SPR0105	SET 6 LATEX INTERCHANGEABLE BANDS BEIGE COLOUR
11A00SPR0106	SET 6 LATEX INTERCHANGEABLE BANDS YELLOW COLOUR
11A00SPR0107	SET 6 LATEX INTERCHANGEABLE BANDS RED COLOUR
11A00SPR0108	SET 6 LATEX INTERCHANGEABLE BANDS GREEN COLOUR
11A00SPR0109	SET 6 LATEX INTERCHANGEABLE BANDS BLUE COLOUR
11A00SPR0110	SET 6 LATEX INTERCHANGEABLE BANDS BLACK COLOUR

FlexBar

The FlexBar is lightweight, easy to grip, portable resístanse exerciser for rehabilitating and strengthening hands, wrists, forearms and shoulders. Resistance increases with each of three available diameters; each FlexBar is 30 cm long.

FLEX BAR

11A00SPR0099	FLEX BAR Red colour
11A00SPR0100	FLEX BAR Green colour
11A00SPR0101	FLEX BAR Blue colour

Thera-Band®
System Of Progressive Resistance

AQUATIC TRAINING AND THERAPY

Aquatic exercise protects joints, reduces stress and decreases swelling for patients who cannot exercise except under the reduced gravitational pull experienced under water.

Aqua Belt

A soft, contoured foam pad, the Thera-Band™ Aqua Belt™ is a flotation device used while jogging or running in deep water for therapy, cardiovascular exercise or in conjunction with other aquatic exercise products like hand bars for body toning. Is is designed with a special shape that enables the user to hold an upright, upper body position in the water.

11A00SPR0080	Aqua Belt

Swim Belt

This flotation device is ideal for entry-level training aids for younger swimmers. Available in three sizes and bouyancy levels.

111A00SPR0060	Swim Belt for children
11A00SPR0061	Swim Belt for youth
11A00SPR0062	Swim Belt for Seniors

Pull Buoy

A training aid that provides buoyancy to the lower body, the Pull Buoy allows swimmers to concentrate on exercises to improbé upper body strength. Available in two sizes.

11A00SPR0063	Small Pull Buoy
11A00SPR0064	Medium Pull Buoy
11A00SPR0065	Big Pull Buoy

Hand Bars

Increase range of motion in the upper extremities, increase flexibility and strengthen the lower back, abdominal muscles and obliques with Thera-Band hand bars. Available in pairs in three color-coded levels of resistance and buoyancy. Handles are padded for added comfort.

11A00SPR0053	Padded Hand Bars, Light
11A00SPR0054	Padded Hand Bars, Medium
11A00SPR0055	Padded Hand Bars, Heavy

Aquatic Noodles

Pool Noodles are 1.60 m long "foam-spaghetti" with a diametre of 6 cm. The foam is non-toxic, water resistant and floats. The noodles shape offers a wide range of application for muscle strenghtening and relaxation.

11A00SPR0081	AQUATIC NOODLES

Kickroller

This flotation device provides buoyancy and resístanse for upper body strengthening and for stretching and strengthening the trunk and lower back. It's versatile and comfortable to use for both flotation and resistance applications.

11A00SPR0057	Kickroller